

DRAIN CLEANERS & TREATMENT

DRAIN-SNAKE

Sulfuric acid drain opener. Opens completely blocked drains. Disintegrates hair, paper, cloth, sanitary napkins, small roots, food scraps, organic matter. For drains, traps, waste lines. Contains corrosion inhibitors. For professional use only.

PART #	DESCRIPTION
60800004	Quart Drain-Snake
60800008	1/2 Gallon Drain-Snake

MUST SHIP BY MOTOR FREIGHT



CLOROBEN PT

A biodegradable, non-acid/non-caustic, solvent formula used to dissolve grease, soap, fat, oil, and detergent in residential, commercial, and institutional waste systems. Concentrated – one gallon makes five gallons of effective solution. Reduces or eliminates regular grease trap cleaning and/or septic tank pumping.

PART #	DESCRIPTION
60800006	Quart (32 oz.) Cloroben-PT

Available in 1, 6, 15, 30, & 55 gallon containers.



TMS SULFURIC ACID DRAIN OPENER

Part # 60801010



TMS SULFURIC ACID WITH ODOR BARRIER

Part # 60800001



CLOROBEN DE

A fast-acting, inhibited acid for rapid cleaning of plumbing, heating, cooling equipment and lines. Disintegrates concrete, plaster, grout in drains and traps. Dissolves lime, rust, scale, urinary salts and minerals. Contains foam-reducers. For professional use only.

PART #	DESCRIPTION
60800014	Quart of DE

Also available in gallon containers



FLOWEASY DRAIN OPENER

Fast acting, professional strength. Dissolves hair, grease, sludge, rags, soap, paper – any organic material! Safe to use in septic tanks, toilets, sinks, tubs, metal & PVC pipe.

PART #	DESCRIPTION
93000701	1 pint bottle



OPEN-WIDE

Powdered caustic drain opener and deodorizing cleaner. Destroys hair and controls odor. Suitable for all plumbing fixtures, plastic piping and septic systems.

PART #	DESCRIPTION
60800007	1 lb. Open-Wide



TMS CRYSTAL DRAIN OPENER

PART # 60802200



TMS COLD WATER ACTIVATED DRAIN OPENER

Super-activated to dissolve grease, fats, hair, vegetable matter, etc. Won't harm pipes. Part # 60802000



TCI ADC ALKALINE DRAIN CLEANER

No more sulfuric acid fumes! Alkaline drain opener formulated to hold two times more grease and fats in suspension. Quart bottle.

PART #
93781020



GREEN-BLASTER DRAIN OPENER

Non-acid, will not harm fixtures, chrome or plastic pipe. 32 oz. bottle PART # 60800003



TOTAL MAINTENANCE SOLUTIONS

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSSouth.com


CHEMICALS

DRAIN CLEANERS & TREATMENT

WHAM

Dissolves and controls grease, slime, soap, detergents and odors in waste systems. Clears and conditions drains, septic tanks, cesspools, grease traps and drain fields. Non-caustic, non-acid. Harmless to digestive bacteria.

PART #	DESCRIPTION
93371034	Qt. of Wham Septic formula



SEPTIC TANK & CESSPOOL CLEANER

Dissolves grease and organic matter in clogged, sluggish or malfunctioning cesspools, septic tanks and grease traps. Organic solids rapidly liquefied. Ideal for emergency use to eliminate back-up.

PART #	DESCRIPTION
93371036	5 lb. Tank & Cesspool cleaner

Available in 25 & 50 lb. containers



R-D ROOT DESTROYER

Clears and prevents root-blocked sewer lines. No caustics or acids – harmless to skin or clothing. Safe to use in lines leading to septic tanks. Works only on live roots – will not harm trees or shrubs.

PART #	DESCRIPTION
60500022	2 lb. Root Destroyer



BACTA-LIFE

Non-Acid, non-corrosive, non-caustic, non-poisonous. Blend of enzymes and bacteria cultures turns waste solids in free flowing liquids. For drains, grease traps garbage disposals & septic tanks. Used to start off new septic systems or to re-activate those treated with caustic chemicals.

PART #	DESCRIPTION
60800009	1 lb. can Bacta-Life activator

Also available in 25 lb. containers



EVERPRIME DRAIN TRAP LIQUID

Simply add it and forget it! Stops odors naturally in floor and shower drains, toilets/urinals, condensate drains and more! Will not evaporate or freeze. Biodegradable. Great for schools, restaurants, stadiums, empty/vacant buildings, marine applications and high traffic facilities.

PART #	DESCRIPTION
60800105	1 qt. bottle

1 qt. bottle



LIQUID FIRE DRAIN LINE OPENER

Disintegrates hair, paper, cloth, sanitary napkins, small roots, food scraps and organic matter. For drains, traps and waste lines.

PART # 60800005

DEODORIZERS/CLEANERS

PBGONE!

Uric acid eradicator. Attacks uric acid odors immediately by an enzyme/digestion process. It does the job by digesting the source in minutes with zero environmental impact. Pour directly into drains or spray area from where odor is originating (urinals or toilets). Product may be effectively mopped on floor areas around washroom fixtures. Spray attachment included.

PART #	DESCRIPTION
60300104	Quart of PBgone



TMS WATERFREE URINAL CLEANER

- Developed especially for use in waterfree urinals
- Approved for use with Sloan and Falcon water-free urinals
- Will not harm the sealant, so no unpleasant odors!
- Quick and easy-to-use – just spray and wipe
- Maximizes urinal efficiency
- Biodegradable and phosphate free – safe for the environment

PART # 60300112



FOAMING HOUSING CLEANER AND ODOR BLOCKER FROM FALCON

Specifically formulated to provide an instant odor-block when the foam enters the housing. Helps clean the urinal housing during the change of the cartridge. Helps you get optimal performance from your waterfree urinals. The foam is fully biodegradable and the container is recyclable!

PART # 60300113



**TOTAL
MAINTENANCE
SOLUTIONS**

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSSouth.com

CLEANERS/DEGREASERS

ERASE-IT

ELECTRO CONTACT CLEANER

Cleans electrical/electronic components and delicate mechanisms. Removes greases, oil, dirt and organic soils. Safe on all rubber, paint, plastic, metal, fabric and glass surfaces. Evaporates completely, leaving no residue.



PART #	DESCRIPTION
60300117	16 oz. aerosol can

DE-SOLV-IT CONTRACTORS' SOLVENT

Removes oil, tar, water seal, asphalt, floor adhesive, grease, lube, silicone sealant, paint, roofing tar and caulk. Safe on hard surfaces, cured paint metal & wood. Biodegradable with no harsh chemicals.



PART #	DESCRIPTION
93727540	12 oz. bottle

HERCULES FOR HANDS

Big pre-moistened hand cleaning towels remove the toughest soils, stains, grease, paint, tar, plastic pipe cement, adhesives, ink, sealants, sticky dirt and more! With aloe, lanolin and vitamin E.



PART #	DESCRIPTION
60300103	70 12" x 10" Premoistened towels

TMS WIPE OFF GRAFFITI REMOVER

Wipes off most spray paint, inks, crayons, vandal marks, road tar and scuff marks. Works on road signs, sidewalks, reflective signs, formica tops, washroom walls, public buildings, mirrors and lockers. 16.5 oz can
PART # 60300102



GUNK GREEN CONCENTRATED CLEANER

Removes grease and grime from machinery when used at full strength. Effective for glass and crystal when diluted. Non-toxic, biodegradable and non-corrosive.



PART #	DESCRIPTION
93727732	22 oz. bottle

IRON IKE

Dissolves rust and iron stains quickly. Can be used on metallic and non-metallic surfaces. Effective on water softeners, water heaters, toilets, tubs, tile & more. Contains no phosphoric acid, phosphates or chlorine.
PART # DESCRIPTION
93371040 20 oz. Iron Ike



GENERAL PURPOSE CLEANER

A specially formulated mildly ammoniated aerosol spray cleaner for cleaning of grease, oily film, hand marks, soap and fruit stains from counters, bathroom and kitchen fixtures, wall and floor tile, mirrors and windows, refrigerator doors, and chrome plated appliances. Cleans windows, and plastic upholstery on cars and boats. Contains no fluorocarbons.

PART #	DESCRIPTION
93001010	18 oz. aerosol can



ERASE IT ALL PURPOSE

Will work on many surfaces such as patio furniture, decking, and tile. Cleans stains such as metal, rust, mold & mildew, graffiti, pen and pencil marks and more.
PART # 93901841

ERASE IT FOR KITCHEN

Will work on many surfaces such as Formica®, countertops, walls, pots and pans, and cabinets. Erases stubborn stains such as pen/pencil, coffee, crayon, mold, mildew and scuffs.
PART # 93901822

ERASE IT FOR THE BATH

Will work in the tub, shower, sink and toilet, erasing such stains as rust, mold, mildew, algae, dirt and scum.
PART # 60300108

ERASE IT FOR TILE GROUT

Will work on any color grout, sanded or unsanded, sealed or unsealed, removing ANY surface stain while restoring the grout to its original color. (Not shown)
PART # 93901870



GAS LEAK DETECTOR

Fluid detects leaks in anything that can be tested with air or gas pressure. Dries clean.

PART #	DESCRIPTION
94494054	8 oz. bottle
94494056	1 gallon bottle



TOTAL MAINTENANCE SOLUTIONS

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSouth.com

CHEMICALS

TAPES

SUPER SEAL TAPE

Self bonding tape with 100's of uses. Works on wet, dry, greasy or dirty surfaces as well as on metal or plastic pipes.

PART #	DESCRIPTION
93007409	Roll of Super Seal Tape



DUCT TAPE

Industrial grade for HVAC, plumbing and general contractor use. Silver polycloth with rubber resin adhesive.

PART #	DESCRIPTION
60450002	2"x 60 yd Duct tape



ELECTRICAL TAPE

PVC electrical tape. Suitable for use at not more than 600V and not more than 176°F.

PART #	DESCRIPTION
60450003	3/4"x 60 ft x 7.5 Mil




LIME REMOVERS

PUMIE SCOURING STICK

- 100% natural pumice
- Removes lime, rust and stains
- Removes hard water rings
- Cleans porcelain, masonry, ceramic tile and iron


PART # 60800015



PUMIE TOILET BOWL RING REMOVER WITH HANDLE

- No gloves
- No applicators
- No skin irritants

PART # 93901010



LUBRICANTS

WHITE LITHIUM GREASE

Heavy duty lubricant reduces friction in all metal-to-metal and metal-to-plastic applications.

Protects against rust and corrosion. Will not melt, run, freeze or wash off.

PART #	DESCRIPTION
93721003	2 oz Squeeze tube



LOCK LUBRICANT

Highest quality graphite formula. Keeps locks working freely. Seals out moisture and guards against rust and corrosion.

PART #	DESCRIPTION
93701050	4 oz. Aerosol Lock Lubricant



POWDERED GRAPHITE LUBRICANT

High quality graphite keeps locks working freely. Guards against sticking, corrosion, and dirt build-up. Use for year round protection. Greaseless and odorless.

PART #	DESCRIPTION
93701020	6.5 Gram tube
93701030	1-1/8 oz. tube
93701040	1 lb. can powdered graphite



HEAT-PRUF GREASE

Lubricates faucet stem threads, o-ring packings, gaskets, ballcock cup leathers, etc.

PART #	DESCRIPTION
60500025	1/2 oz can
60800013	2 oz plastic tub
60500132	2-1/2 oz can
60400109	1 oz. tube



TMS FAUCET STEM LUBRICANT

1 oz container
PART # 60400505



SILICONE LUBRICANT

Ideal for lubrication of o-rings. An excellent lubricant that assures a permanent leak-proof seal.

PART #	DESCRIPTION
60400107	2 oz tube silicone grease
93681625	1/2 oz. can silicon grease



**TOTAL
MAINTENANCE
SOLUTIONS**

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSSouth.com

LUBRICANTS/PENETRANTS

LA-CO RUSTBUSTER

Loosens rust in seconds


PART #	DESCRIPTION
60400106	4 oz bottle with telescoping spout applicator



LPS 2

General purpose lubricant. Leaves light oily coating. Penetrates and loosens rusted and frozen parts. Protects against rust and corrosion. Protective coating for hand and machine tools.

PART #	DESCRIPTION
60400111	11 oz Aerosol can



MULT-PURPOSE LUBE OIL

Multi-purpose oil for use on motors, bearings and wherever metal lubricating is desired. Non-gumming, non-toxic, will not foam during use. Non-detergent, contains rust and corrosion preventatives. Not for use on internal combustion engines or extreme heat producing operations.

PART #	DESCRIPTION
93371008	4 oz bottle with extended spout



SILICONE SPRAY LUBRICANT

Heavy duty silicone spray lubricant stops squeaking, sticking, prevents rust and corrosion. Lubricates doors, locks, drawers, windows. Brightens rubber, vinyl and leather.

PART #	DESCRIPTION
60400110	13 oz Aerosol can



LIQUID WRENCH

Super penetrant that loosens rusted bolts, nuts and parts in seconds.

PART #	DESCRIPTION
93721004	6 oz Spray
93721006	8 oz Squeeze can



PIPE THREAD COMPOUNDS

T-O-T PIPE JOINT COMPOUND

No drip pipe joint compound. Silicized for fast spreading. For water, steam, air and natural gas. Do not use on oxygen.

PART #	DESCRIPTION
60550216	1/2 Pint T-O-T with brush



PIPETITE STIK

Thread compound in handy stick form. For water, steam, air, natural gas, butane, propane. Use on metal threads. Do not use on oxygen.

PART #	DESCRIPTION
60550217	1-1/4 oz. Pipetite-Stik



TITE-SEAL NO. 55

A special liquid, non-hardening density prepared for easy application. For leak proofing threaded, flanged and assembly line connections. For LP gas, natural gas, diluted acids, ammonia, etc.

PART #	DESCRIPTION
93721017	4 oz. can Tite-Seal
93721018	1 pint can Tite-Seal



RECTORSEAL NO. 5

Compounded from 13 ingredients, making it a dependable sealant for lines carrying numerous types of liquids and gases. It is especially applicable for threaded PVC, steel, iron, copper and fiberglass reinforced pipe. Not for ABS pipe. Does not dry out.

PART #	DESCRIPTION
60500023	1/2 Pint of No. 5
60500011	1 Pint of No. 5



TMS NO-DRIP PIPE JOINT COMPOUND

Contains built-in wicking. Both seals and lubricates.

PART # 60550206



TMS TEFLON THREAD COMPOUND

Multipurpose, non-flammable, non-hardening compound that is lead-free and easy to use.

PART # 60550735



TOTAL MAINTENANCE SOLUTIONS

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSSouth.com

CHEMICALS

THREAD & GASKET COMPOUNDS

LA-CO LOC PIPE THREAD SEALANT

Locks threads against vibration. Contains "Teflon" for positive seal & anaerobic adhesives for locking power. Do not use on oxygen.

PART #	DESCRIPTION
60550103	1.69 fl. oz. La-co Loc



SLIC-TITE PASTE

Heavy duty thread sealing compound. Non-toxic, non-drying, anti-seize. For water, steam, air, natural gas, gasoline, kerosene, refrigerants, LP gases. Use for thread connections on steel, brass and aluminum. Not for use on oxygen.

PART #	DESCRIPTION
60550101	1/2 Pint Slic-Tite



"TEFLON" THREAD TAPE

Use on any surface. Withstands solvents, chemicals and oxygen. Non-toxic. Safe on food lines.


PART #	DESCRIPTION
60504144	1/2" x 520" roll
60500024	3/4" x 520" roll
60450004	1" x 520" roll



SLIC-TITE STIK

High performance thread compound in handy stick form. Non-toxic & non-staining. Use on metal threads. Do not use on oxygen.

PART #	DESCRIPTION
60450005	1-1/4 oz. Slic-Tite Stik



STEM & VALVE PACKING

GRAPHITE PACKING

For repairing leaking packing on faucet and valve stems and packing nuts.


PART #	DESCRIPTION
60400108	1/8" x 24"
93371052	3/32" x 24"
93722014	1/4" x 8' roll on resealable spool



TEFLON PACKING

For repairing leaking packing on faucet and valve stems and packing nuts.

PART #	DESCRIPTION
93601006	7/32" x 120"
93601010	Cord of PTFE, 3/32 x 25'



WIRE SOLDER

PART #	DESCRIPTION
60500014	1 lb. 50/50 Solder (lead)
60500013	1 lb. 95/5 Solder
60550003	1 lb. Lead Free Solder
64960056	1 lb. Silverflow Brazing Rod (lead free)



Did You Know?

An automatic dishwasher uses approximately 9 to 12 gallons of water while hand washing dishes can use up to 20 gallons.



COPPER BRITE

"INSTANT CLEANER FOR SOLDERING"

Eliminates sand cloth and fitting brushes. Eliminates hot spots by penetrating pits and scratches. Does not affect tolerances. Great for lead free solders.



PART #	DESCRIPTION
93001061	16 oz. Copper Brite



TOTAL MAINTENANCE SOLUTIONS

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSouth.com

SOLDERING FLUXES

REGULAR FLUX PASTE

Non-acid & Lead Free. Use with Lead Free, 40/60, 50/50, 60/40, 95/5 or any standard soft solder. For copper, galvanized iron, sheet lead, zinc, nickel, tin, silver, mild steel, malleable iron.

PART #	DESCRIPTION
60550100	4 oz. can flux paste
93371000	4-1/2 oz. SCORE paste flux
93601002	1 lb. can flux paste



ALL-PURPOSE FLUX LIQUID

For soldering most grades of stainless steel, plus chrome, copper, and brass. Use with all types of soft solders. Fast fluxing action. Do not use on stainless steel water tubing.

PART #	DESCRIPTION
60550218	4 oz. Bottle liquid flux



SOLDER FLUX

Lead-free, will not turn fittings green.

PART #	DESCRIPTION
60550105	1/2 lb. can
60550106	1 lb. can

TMS PASTE SOLDERING FLUX

Formulated especially for copper

PART # 60550215



FLUX & SOLDER

50/50 or 95/5 tin lead solder with flux. Fluxes, tins and solders in one operation. For all common metals except aluminum and some grades of stainless steel. One pound does the work of 3 to 4 lbs of wire solder plus flux.

PART #	DESCRIPTION
93371004	1 lb. 50/50 Flux & Solder
93601005	1/2 lb. 95/5 Flux & Solder
93601007	1 lb. 95/5 Flux & Solder



ABRASIVE CLOTH

Aluminum oxide, water resistant, 120 GRIT

PART #	DESCRIPTION
60500134	1-1/2"x 10 Yards
60500017	1-1/2" x 25 Yards



OPEN MESH ABRASIVE CLOTH


Lasts twice as long as regular abrasive cloth. Nylon fabric allows cleaning if cloth becomes loaded. 180 GRIT gives smoother finish.

PART #	DESCRIPTION
60550007	1-1/2"x 10 Yards



FLUX & FITTING BRUSHES

PART #	DESCRIPTION
60300009	3/8" Flux brush
20200141	1/4" ID Fitting brush
20200142	3/8" ID Fitting brush
20200180	1/2" ID Fitting brush
20300368	3/4" ID Fitting brush
20300374	1" ID Fitting brush
20200143	1-1/4" ID Fitting brush
20200144	1-1/2" ID Fitting brush
20200145	2" ID Fitting brush
93161005	1/2" Economy brush
93161007	3/4" Economy brush
20401020	4-in-1 Brush copper cleaning tool



JUST FOR COPPER

Solderless copper bonding that's fast and easy to use. A permanent, cold-weld for use on all copper and copper-alloy pipe and copper or brass fittings. One part, no mixing - requires 70% less time. Non-toxic, non-flammable compound that exceeds all copper bonding specifications.

PART #	DESCRIPTION
60550008	10g bottle
60550102	50g bottle



COMING IN 2008:
THE NEW TMS SOUTH WEBSITE
www.tmssouth.com



**TOTAL
 MAINTENANCE
 SOLUTIONS**

HOUSTON
 800/392-5066

ORLANDO
 800/327-3022

GREENVILLE
 800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSSouth.com

CHEMICALS

CAULKS AND SEALANTS

POLYSEAMSEAL

All purpose adhesive caulk. Caulks: Tubs, Sinks, Showers. Seal: Floor and wall cracks, gutters, windows, doors, air conditioners, stops leaks. Bond: Adheres to most any metal, molding, paneling, glass, metal, plastic laminates. Resets ceramic tiles.

Cleans up with soap and water.

PART #	DESCRIPTION
60500028	10.3 oz White
93001030	10.3 oz Clear
93001025	10.3 oz Almond
93001032	4 oz White squeeze tube
60500004	6 oz White squeeze tube
93001031	10.3 oz White (Seamseal 2002)
93371060	Harvey's Tub & Tile, squeeze tube



PLUMBERS PUTTY

For setting bowls, rims, strainers, faucets etc. Will not harden, shrink, crack or crumble. Not for use on marble.


PART #	DESCRIPTION
93371058	5 lb. Plumbers putty



PLUMBERS SEALANT

30 ft. x 1/2" wide roll Plum-Gum. Seals sink drains, flanges. Won't dry up. Unaffected by freezing or boiling water.

PART #	DESCRIPTION
60500031	1/2" x 54" roll



SILICONE CAULK

100% silicone rubber adhesive sealant, for bonding, sealing and waterproofing tubs, showers, sinks and fixtures. Won't crack, shrink or peel. Bonds to porcelain, ceramic, glass, painted surfaces and most metals.

PART #	DESCRIPTION
60500016	10.3 oz White
60500129	10.3 oz Clear
93211002	White squeeze tube
93211004	Clear squeeze tube



RS 136 NON COMBUSTIBLE FIREBLOCK/DRAFT STOP

Meets ASTM E-136, VOC compliant. 2 year shelf life with excellent freeze/thaw properties. Paintable and water soluble.

PART # 93002002
10.3 oz. tube



METACAULK 1000 FIRE-STOPPING SEALANT

Water based, with excellent freeze/thaw properties. For interior use. Safe and easy to use, with a 2 year shelf life.


PART # 93002008
10.3 oz. tube



CAULK GUN

Steel ratchet type, with heavy spot welding.

PART #	DESCRIPTION
93401002	Caulking gun




PROTECTIVE GEAR

DISPOSABLE COVERALLS WITH COLLAR

White. 5 per bag

PART #	DESCRIPTION
93007384	Size Large
93107384	Size X-Large
93117384	Size 2X


Large – 5'5" to 5'10", 140-200 lbs.
X-large – 5-7" to 6'2", 160-220 lbs.
XX-large – 5'11" to 6'4", 180-240 lbs.



DISPOSABLE SHOE COVERS

Blue

PART # 60300109 (One pair)



LATEX GLOVES

Box of 100 gloves

PART # 60300105



**TOTAL
MAINTENANCE
SOLUTIONS**

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSouth.com

CEMENTS FROM OATEY

PURPLE PRIMER

- Purple tinted all purpose primer for PVC and CPVC pipes and fittings.
- Prepares surface by removing surface dirt, grease and grime as well as by softening pipe.
- Purple tint allows for verification for code.



PART #	DESCRIPTION
60500021	1 pint

HEAVY DUTY PVC CEMENT

- Recommended for all grades & type of PVC up to 12"
- Fills gaps in large diameter pipe
- Meets ASTM D-2564
- Application temperature 40° to 100°F



PART #	DESCRIPTION
60500131	1/4 pint
93372023	1 pint

PVC CEMENT - RAIN-R-SHINE

Medium body for all grades and types of PVC pipe & fittings, potable water and DWV. Can be used under water.

PART #	DESCRIPTION
60500020	8 oz. Rain-R-Shine



MULTI-PURPOSE CEMENT

Medium body, fast set for joining PVC, CPVC & ABS pipe and fittings up to 6" diameter schedule 40.

PART #	DESCRIPTION
93371016	1/4 pt Multi-purpose
93371019	1/2 pt Multi-purpose



CEMENT DAUBERS

PART #	DESCRIPTION
93001009	1 pt. Dauber
93001011	1 qt. Dauber



PVC CEMENT

Medium body, medium set for PVC pipe and fittings up to 6" diameter schedule 40 and 80.


PART #	DESCRIPTION
60500130	1/4 pt PVC cement
93371020	1/2 pt PVC cement
60500018	1 pt PVC cement
60500019	1 qt PVC cement



CPVC CEMENT

For CPVC pipe and fittings. Hot and cold water applications. Any diameter pipe through 6" at recommended temperatures.

PART #	DESCRIPTION
93371013	1/4 pt. CPVC Cement
93371014	1/2 pt. CPVC Cement



CLEANER FOR CPVC, PVC OR ABS

Clear cleaner for ABS, PVC and CPVC pipe and fittings. All schedules and all diameters. Flows freely and evaporates quickly. Fast-acting cleaner removes surface dirt, grease and grime.

PART #	DESCRIPTION
60300107	1/4 pt. Cleaner
60500026	1/2 pt. Cleaner
60500127	Pint Cleaner



FLOWGUARD GOLD 1-STEP CEMENT

Yellow, medium body CPVC cement exceeds new environmental requirements. May be used without primer where local codes permit. For cold water systems and hot water systems up to 180°F. Faster cure time/reduced installation time. For copper tube size (CTS) CPVC hot and cold potable water pipe and fittings up to 2" diameter interference fit only.



PART #	DESCRIPTION
60500126	1/2 pt. Flowguard

PLUMB-TITE BLUE PROFESSIONAL GRADE PVC PLASTIC PIPE CEMENT

For fast set pressure applications. Medium bodied, very fast set. Suitable for Flex and Rigid Pipe and Schedule 80. 1/2 pt.

PART # 60300106



DON'T GET STUCK!

Call us for all your plumbing adhesive needs!



TOTAL MAINTENANCE SOLUTIONS

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSouth.com

CHEMICALS

GLUES AND EPOXY COMPOUNDS

PRO POXY 20

Fast acting, single stick, steel reinforced epoxy putty. Makes steel hard repairs in 20 minutes. Seals, mends, bonds, repairs almost anything—even under water. Adheres to metals, masonry, wood, glass, ceramics and most plastics. When cured, may be drilled, sanded, filed and painted.



PART #	DESCRIPTION
60500006	4 oz Stick Pro Poxy

PLASTIC POXY


Fast acting, single stick. This patented combination of epoxy resin and hardener mixes quickly and easily. Repairs most plastic: seals, mends, or bonds to ABS, PVC and CPVC pipes and fittings. Hardens in 40 minutes and can be used in temperatures of up to 250° for extended periods. Can be drilled, sanded, filed and painted when cured.



PART #	DESCRIPTION
60500010	Plastic Poxy

SUPER GLUE

Has a bonding power of 5000 pounds per square inch. It works instantly on ceramic, plastic, rubber, tile and metal without mixing.




PART #	DESCRIPTION
60500135	3 Grams SuperGlue

ROOF FLASHING

ROOF FLASHINGS

PART #	DESCRIPTION
40950122	1-1/2" Roof flashing
40950140	2" Roof flashing
44470116	3" Roof flashing
44470118	4" Roof flashing



ROOF & FLASHING CEMENT

Heavy duty paste-like consistency; easily applied with trowel or putty knife. Adheres to wet or moist surfaces; can be applied in rain. Adheres to concrete, metal, tile, roofing and masonry.



PART #	DESCRIPTION
93371064	1 qt Roof cement

MR. STICKY'S® UNDERWATER GLUE

Bonds PVC, ABS, tile. Repairs spas and hot tubs. Fills cracks in plaster, concrete, acrylic and fiberglass. Remains flexible. 1-2 hours setting time.




PART # 60500012



WATER FILTERS

SPIN DOWN SEDIMENT FILTER

Used as a pre-filter to remove sand and pipe scale. Sediment can be removed through flush valve.



PART #	DESCRIPTION
40750009	3/4 MPT, 60 Mesh

VALVE-IN HEAD

- Closes inlet and outlet simultaneously with a half turn of handle
 - Cartridge change-outs are quick and easy
 - 3/4" NPT inlet/outlet
 - Accepts wide variety of 2-1/2" to 3" cartridges
- PART # 94021102



GRANULAR ACTIVATED CARBON CARTRIDGE

- Effective taste/odor/chlorine reduction
 - Water passes through entire length of carbon bed
 - Tested and certified by NSF International
- PART #94021170



TOTAL MAINTENANCE SOLUTIONS

HOUSTON
800/392-5066


ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSSouth.com

WATER FILTER ASSEMBLIES*(For water pressure up to 125 psi)*


- | PART # | DESCRIPTION |
|----------|---|
| 94021020 | 3/8" inlet/outlet clear housing for cold water only. Accepts sediment or taste/odor cart. 5-1/8"W x 12" H. Comes with sediment cartridge. For single faucet installation. |
| 94021005 | 3/4" inlet/outlet for cold water only. Accepts taste/odor or sediment cartridge. 5-1/8" W x 12" H. Comes with sediment cartridge. Can be used for single faucet or whole house installation. Has opaque sump. |
| 40750003 | 3/4" inlet/outlet clear housing for cold water only. Accepts sediment or taste/odor cartridges. 5-1/8" W x 12" H. Comes with sediment cartridge. Can be used for single faucet or whole house installation. Has clear sump. |

**FILTER CARTRIDGES**

- | PART # | DESCRIPTION |
|----------|---|
| 40750007 | Sediment cartridge. 20 micron filtration 5 gpm flowrate with 2 psi drop. 9-3/4" long. Cold or hot water – max 160°F. |
| 40750002 | Taste/odor/sediment. Carbon impregnated cellulose. Removes foul odors, taste of chlorine, sand, silt, rust particles. 5 micron filtration. 5 gpm flow rate at 3.5 psi drop. 9-3/4" L Cold water only. |
| 94021112 | Metals and chemicals cartridge. Removes up to 96% of lead, mercury & volatile organic chemicals. Recommended flow rate of 7 GPM. Max. temperature: 40°F to 125°F. |

**MAIN LINE FILTER**

- | PART # | DESCRIPTION |
|----------|--|
| 94021030 | 1" inlet/outlet main line filter. Ideal for spas, hot tubs or other uses. Accepts sediment or taste/odor cartridges. |

**FILTER CARTRIDGES**

- | PART # | DESCRIPTION |
|----------|---|
| 40750011 | Sediment cartridge. 30 micron filtration. 4-1/2" W x 9-3/4" H |

REPLACEMENT SUMPS/ACCESSORIES


- | PART # | DESCRIPTION |
|----------|------------------------------------|
| 94021117 | Sump – brown for 3/4" inlet/outlet |
| 94021118 | Sump – clear for 3/4" inlet/outlet |
| 40750010 | Wall bracket for 3/4" housing |
| 94021125 | Spanner wrench for 3/4" housing |
| 94021135 | O-ring for 3/4" housing |
| 94021122 | Wall bracket for 3/8" housing |

**ICEMAKER FILTERS**

- | PART # | DESCRIPTION |
|----------|---|
| 40750004 | Taste/odor/sediment filter. Comes with 3/8" OD compression fittings on inlet and outlet. |
| 40750008 | Taste/odor & scale inhibitor filter. Prevents hard scale build-up. Ideal for use on coffee makers and icemakers. Comes with 1/4" OD comp. fittings. |

**COMPACT WATER FILTER**

- | PART # | DESCRIPTION |
|----------|---|
| 40750005 | 3/8" inlet/outlet for cold water only. Accepts taste/odor/sediment cartridge only. 4-1/2" W x 6-1/2" H. For single faucet installation. |


**FILTER CARTRIDGES**

- | PART # | DESCRIPTION |
|----------|--|
| 40750001 | Taste/odor/sediment. Carbon impregnated cellulose. 2 gpm flow rate at 2 psi drop. 4-7/8"L Cold water only. |
| 94021175 | Taste/odor filter only (ea.) |


**WATER COOLER FILTERS**

Designed to remove cysts, such as cryptosporidium and giardia, lead particles and chlorine taste and odor. Features include Quick Disconnect fittings on each end of the in-line filter. The filter contains a carbon block with lead sorbent media and the housing is made of rust and corrosion free plastic. Designed specifically for use with HTV Series Voyager water coolers but can be used on most Halsey Taylor models where space is a concern.

- | PART # | DESCRIPTION |
|----------|-------------------------------|
| 60800010 | 1-3/8" OD x 6-1/8" LG. filter |

**HOT WATER FILTER**

- | PART # | DESCRIPTION |
|----------|---|
| 94021010 | 3/4" inlet/outlet for hot water up to 200 F & pressure up to 200 psi. 5-1/8" W x 12" H. |

**FILTER CARTRIDGES**

- | PART # | DESCRIPTION |
|----------|--|
| 94021108 | Sediment cartridge for hot water. Removes sand, silt, scale, unseen sludge and rust particles. For water temperatures up to 300°F. |

FILTER-PAK FILTER FOR SUNROC COOLERS

- | PART # | DESCRIPTION |
|----------|--|
| 93831002 | Filter-Pak filter for Sunroc coolers. Removes taste, odor, and color from water. Cartridge contains STERILUM. Filter is 2-1/4"x 10-1/2". Designed for the following models: NFR-8,13, NSF-16W,20W, CSW-4,8,13, NSF-8T, 14T, 20T, NSF-8H, 14H,20H, NSW-8H, 14H,16H, NSF-4,10. |
| 93831004 | Replacement cartridge for Filter-Pak |



**TOTAL
MAINTENANCE
SOLUTIONS**

HOUSTON
800/392-5066

ORLANDO
800/327-3022

GREENVILLE
800/476-2212

LOOK FOR US ON THE WEB AT: www.TMSSouth.com

